

Therapeutic Experience with Combinations of Ampules HEEL MEDICAL SCIENTIFIC DEPARTMENT

According to the tenets of Homotoxicology, states of illness can be classified either as humoral or cellular phases. The line of demarcation between the two is referred to as the 'biological section.' Conditions to the left of the biological section, the humoral phases, involve no cell commitment and may be expected to lead to a favorable prognosis following proper biological therapy. Illnesses found to the right of the biological section are considered to be cellular phases in which there exists commitment of the cells. Such conditions carry a dubious prognosis and treatment may require administration of specific antihomotoxic agents.

We have found that two certain combinations of homeopathic ampule preparations offer quite beneficial effects for immune system stimulation in cases on both sides of the biological section. The first such combination is comprised of one ampule each of:

- TRAUMEEL
- GRIPP-HEEL
- ENGYSTOL
- LYMPHOMYOSOT

The vials are administered either by injection or orally. Combined injections of the four may be performed as i.m., s.c., i.c., or i.v. The oral administration of the combination should take place throughout the day, one tablespoon at a time, after the four vials have been stirred with ½ ounce (15 ml) of filtered water. It is important to ensure that the solution be sipped slowly and held in the mouth for approximately one minute rather than being simply swallowed.

In cases to the left of the biological section, often simply a non-specific preparation is sufficient to stimulate the body's system of defense. This mixture contains antihomotoxic stimulants with a proven record in cases of inflammation, both viral and bacterial. It is also effective in cases of other toxic burdens and serves as an immune enhancement to all patients.

The second combination is intended as an addition to the first for persons with conditions to the right of the biological section. Its composition is:

- COENZYME COMPOSITUM
- UBICHINON COMPOSITUM
- PSORINOHEEL
- GALIUM-HEEL
- VISCUM COMPOSITUM MITE

Due to its components, this mixture is designed for all cellular phases including chronic conditions. It helps increase respiration and metabolism on the cellular level, thereby aiding an improvement of the immune response.

Our experience has shown that two other agents may be added to this combination to enhance its effectiveness:

- ECHINACEA COMPOSITUM
- ACIDUM L + LACTICUM INJEEL

Again, as in the case of the first solution, this combination of ampules may be administered either parenterally or orally. The recommended frequency of either solution is five consecutive days each month. This has been demonstrated by Wagner* in a study on the effectiveness of the basic combination of Engystol and Gripp-Heel with regard to phagocytosis increase. He found that the rate of phagocytosis increased during five days to a maximum level.

Although the mentioned ampules may be administered orally, they are offered for sale strictly as prescription items. An alternative protocol employing non-prescription BHI tablets has been suggested for the more general first combination:

- BHI INJURY
- BHI COLD
- BHI FLU
- BHI LYMPHATIC

Here, one tablet of each preparation may be pulverized together in a cup and then mixed with ½ ounce (15 ml) of filtered water. This solution, like the mixture of Traumeel, Gripp-Heel, Engystol, and Lymphomyosot is to be sipped slowly throughout the course of the day.

The recommended use for these combination solutions is especially:

- before any surgical intervention
- in situations where stress may reduce overall well being
- in situations of definite imbalance of the auto-immune system

* Wagner, Dr. H., Examination of the Immune Stimulation Effect of Some Plant Homeopathic Drugs, Biological Therapy, Vol. IV, No. 2, September 1986, pp. 21-27