

SPASMS: BRYACONEEL® & SPASCUPREEL®

Both of these homotoxic products are involved in protocols associated with spasm.

We can define the difference in their respective action by their physiological target. BRYACONEEL acts on the function of the organ while SPASCUPREEL acts on the mechanism of the spasm.

SPASCUPREEL

Citrullus colocynthis D₄,
Belladonna D₆,
Cuprum aceticum D₆,
Phosphorus D₆,
Magnesium phosphoricum D₆,
Gelsemium sempervirens D₆,
30 mg each;

Passiflora incarnata D₂
Agaricus D₄
Chamomilla recutita D₃
Cuprum sulfuricum D₆
15 mg each;

Aconitum napellus D₆
60 mg

ACTION

Spascupreel acts directly on muscles, especially striated muscles. In this capacity it has profound action on hardening of the muscles such that occurs in spasm due to stress often leading to migraine, myalgia and myogelosis. It has mediating action in reflex muscular spasticity in osteochondrosis.

THERAPEUTIC APPLICATIONS

Cramps (biliary colic, menstrual, abdominal renal, bronchial)

Spascupreel should be administered in conjunction with Bryaconeel in these cases.

For tightness and spasm of the musculoskeletal system as in injuries due to overwork, pulled muscles, spasm and for spasmodic conditions of the larynx, Spascupreel can be administered alone or with Traumeel. The course of Spascupreel should be at least 5 days with Traumeel, followed by 5-10 days of Spascupreel taken 2-4 times daily.

Spasmodic bronchitis, vesical tenesmus, and bronchial asthma should incorporate Spascupreel into the treatment plan with Bryaconeel at an even dosage: Bryaconeel + Spascupreel in the morning, then alternate Spascupreel only and Bryaconeel only finishing with a dose of each at night.

BRYACONEEL

Bryonia cretica D₄
Aconitum napellus D₄
Phosphorus D₅

ACTION

Bryaconeel acts on smooth muscle and applies to conditions involving visceral structures. It functions directly on the type of spasm found in angiospasm for example.

THERAPEUTIC APPLICATIONS

In cases of dysmenorrhea it is useful, in conjunction

with Spascupreel and with Lymphomyosot or Lyphosot. Any condition involving pain, inflammation and spasm associated with intoxication from purines (diet) responds well to Bryaconeel oral treatment. The addition within 5 days with Lymphomyosot or Lyphosot speeds up the defusing of toxins.

Bryaconeel applies particularly to conditions involving the pancreas, liver and lungs. Inflammation of serous membranes such as pleuritis, peritonitis, and meningitis in conjunction with Engystol. In conjunction with Lymphomyosot or Lyphosot and Coenzyme comp for gout.

Bryaconeel can be an alternate therapy for chronic polyarthritis, especially when it is caused by free radical damage and by the production of lipofusin. In such cases of pain and inflammation due to damage by toxins that break down tissue and organ function, Bryaconeel is an effective treatment along with Lymphomyosot or Lyphosot and possibly Zeel; for chronic rheumatism particularly in the hands, feet, hips.